

NC Controlled Substance License #: NC-DHHS-1002881  
 DEA Controlled Substance License #: RD0577986  
 ISO 17025 Certification: PENDING  
 Proficiency Testing Enrolled: Hemp PT Program U of Kentucky  
 Regulatory Services

9  
**ANALYTICAL**  
**Delta 9 Analytical**  
 Professional, Accurate, Responsive

**Laboratory Location**  
 6308 Angus Drive, Ste B  
 Raleigh NC 27617  
 919-673-7153 / 919-450-1870  
 frank@delta9analytical.com  
 michael@delta9analytical.com

Client Name: **Monster Vape Labs**  
 Client Address: 1041 Crews Commerce Dr.  
 Orlando, FL 32837  
 Grower/Processor Lic#:

Sample ID: **2481**  
 Received Date: 05132021  
 Reported Date: 05142021  
 Test(s) Ordered: **Cannabinoids**

Sample Name: **Activ8 Cherry Shot**  
 Sample Type: Extract; 21051005  
 Sample Matrix: **Drink**; 20mg  
 Sample Size: 1.93oz Test Size: 101.3mg

**CANNABINOID SUMMARY**

**TOTAL CANNABINOIDS: 0.0334%**  
**Δ8-THC: 0.3337 mg/g (19.0 mgs)**  
**TOTAL THC: ND**  
**Δ9-THC: ND**

**BATCH PHOTO**



**CANNABINOIDS** (Liquid Chromatography Mass Spectrometry - LCMS)

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.005	Cannabidiolic Acid (CBDA)	ND	ND	0.005
Δ8-THC	0.0334	0.3337	0.005	Δ9-THC Acid (THCA)	ND	ND	0.005
Cannabichromene (CBC)	ND	ND	0.005	THC-varian (THCV)	ND	ND	0.005
Cannabigerol (CBG)	ND	ND	0.005	***Δ9-THC	ND	ND	0.005
Cannabidiol (CBD)	ND	ND	0.005	**TOTAL CANNABINOIDS	0.0334	0.3337	
Cannabigerolic Acid (CBGA)	ND	ND	0.005	*TOTAL THC	ND	ND	
Cannabidivarin (CBDV)	ND	ND	0.005	*TOTAL CBD	ND	ND	

\*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA% (0.877) + Δ9-THC %. \*\*Total Cannabinoids is the absolute sum of all cannabinoids detected. ND = Not Detected

**RESULT CERTIFICATION**

 05142021  
 Frank P. Mauricio COO/Michael R. Horton CSO & Date



Scan QR Code to verify COA at [www.delta9analytical.com](http://www.delta9analytical.com)

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. \*\*\*The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.